
Kee Klamp, Kee Klamps, Slip on Pipe Fitting, Slip on Pipe Fittings





With preassembled uprights, assembly is intuitive. Elbows, crosses, and tees are already pre-fitted to the uprights.

# **Kwik Kit Safety Railing Kits Offer Prepackaged Convenience** Everything you need for the Kwik Kit assembly is included in one box.

Railing Uprights are pre-assembled to save you even more time and eliminate parts guesswork.

# A Sturdy Yet Flexible Railing Package

Kwik Kit safety railing kits allow you to create a sturdy railing system with no welding and the added advantage of safety yellow rails. These railing kits are quick to assemble using a hex key to tighten the large, easy to use set screws. Kwik Kit safety railing kits are prepackaged with 6-foot post spacing for straight sections, corner sections or extension sections. By using a combination of Straight, Corner, or Extension Kits, almost any basic railing requirement can be fulfilled. The rails may be cut where shorter sections are required. The kits may be secured using bolts or chemical anchors attached to the base fittings.

# **Pre-assembled Uprights Save Even More Time**

Assembly is intuitive. Just place your horizontal rails into the prepositioned upright fittings and tighten the set screws. A convenient hex key set is provided with your kit to assist during the installation process.

You can then determine your railing placement and choose your own method of anchoring the railing assembly. Once the railing assembly is anchored, make any final adjustments needed. Upon final inspection of the railing, it is recommended that all of the fitting set screws be tightened to a torque 29 lbs/ft.

# Kwik Kit<sup>TM</sup> Safety Railing Kit Benefits:

- Strong and safe: they exceed OSHA and BOCA standards
- Attractive safety yellow powder coated pipe
- Easy to assemble using only a Hex Key
- Available in Aluminum or galvanized Iron/Steel
- 6-foot post spacing means lower system cost per foot
- Standard Pipe Size: 1.90" OD

## **Toeboard and Ground Socket Options Available**

Type 69 meets OSHA requirements for toeboards. Stainless steel hardware included. Easy to install with no drilling or welding. Type 66 is a ground socket fitting designed for concrete installations when uprights are required to be removable. It incorporates a socket set screw fixing on top of the flange and can be supplied with a plug to fill the hole when the pipe is removed.



**Toeboard and Ground Socket** 




## **Kwik Kit Railing Kit Details**

Kwik Kit Safety Railing Kits are supplied with all the components to install either a 12 foot straight run or a 6 foot by 6 foot 90 degree corner safety rail system. Additional footage can be achieved by ordering 6 foot extension kits. **Note:** Each kit is available in either Steel (SC) or Aluminum (AC).



#### Model No. KWIK SC/AC (Steel/Aluminum)

The Corner Kit contains 3 pre-assembled 42 inch uprights and 4 horizontal rails. The entire assembly uses the following fittings: 3 standard railing base flanges, 2 ninety degree elbows, 2 single socket tees, 1 side outlet elbow, and 1 ninety degree side outlet tee.




## Model No. KWIK SE/AE (Steel/Aluminum)

The Extension Kit contains 1 pre-assembled 42 inch upright and 2 horizontal rails. The entire assembly uses the following fittings: 1 standard railing base flange, 1 three socket tee, and 1 two socket cross.



#### Model No. KWIK SS/AS (Steel/Aluminum)

The Straight Kit contains 3 pre-assembled 42 inch upright and 4 horizontal rails. The entire assembly uses the following fittings: 3 standard railing base flange, 2 ninety degree elbows, 2 single socket tees, 1 three socket tee, and 1 two socket cross.



## Order Online, by Phone or by E-Mail

 $\sim$  Add items to your online shopping cart  $\sim$ 

Click the Model No. of the item you wish to purchase.

| Kwik Kit ™ Safety Railing Kit Prices |               |                       |          |  |  |
|--------------------------------------|---------------|-----------------------|----------|--|--|
| Model No.                            | Description   | Shipping Weight (lbs) | Price    |  |  |
|                                      | Steel         |                       |          |  |  |
| Kwik SC                              | Corner Kit    | 96                    | \$616.49 |  |  |
| Kwik SS                              | Straight Kit  | 96                    | \$616.49 |  |  |
| Kwik SE                              | Extension Kit | 43                    | \$266.57 |  |  |
|                                      | Aluminun      | n                     |          |  |  |
| Kwik AC                              | Corner Kit    | 50                    | \$873.71 |  |  |
| Kwik AS                              | Straight Kit  | 50                    | \$873.71 |  |  |

|   | Ш  | Kee Klamp, Kee Klamps, Slip on Pip                      |   |  | <b>0350 15</b> |  |
|---|--|---|---|--|----------------|--|
| <u>Kwik AE</u>  |  | Extension Kit   |   | 25   | \$378.17       |  |
| e Klamp, Kee Klamps, Pip<br>Pipe Fittings, Steel Pipe R:  | e Hand Rail, Pipe I<br>ailing, Railing Kits, | Iandrail, Pipe Rail, Pipe R<br>and Kwik Kit from your c | ail Fittings, Pipe Railings<br>complete source for mate | s, Pipe Rails, Railing Pipe, S<br>rial handling equipment. | Slip           |  |
| Return to All Kee Klamp Products<br>home / order / search / quote / info / about us / my account/ shopping cart |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |
|   |  |   |   |  |                |  |